


Top Surface Finish
 Top Solder Mask
L1
 Prepreg
L2
 Core
L3
 Prepreg
L4
 Bottom Solder Mask
 Bottom Surface Finish



4L-1.6-7628-1-1-50

Spec	Type	Base Thickness	Processed Thickness	RC	DK
ENIG		0.005			
		0.020			
	Signal	0.018	0.018		
FR4 · 7628	Prepreg	0.196	0.1785	43%	4.7
	Plane	0.035	0.035		
FR4	Core	1.03	1.03		4.6
	Plane	0.035	0.035		
FR4 · 7628	Prepreg	0.196	0.1785	43%	4.7
	Signal	0.018	0.018		
		0.020			
ENIG		0.005			

Thickness After Lamination: 1.493 mm
 Finished PCB Thickness: 1.543 mm ±10%
 Inner layer Residual copper ratio: 50%